

DISCOVER THE POWER OF EPI FLOORS FOR

SCHOOLS | OFFICES | RETAIL | RESTAURANTS

www.epigroup.nl/en



EPI is your perfect Dutch partner for top quality flooring systems and coatings. With us, you will find an extraordinarily wide variety of tailor-made applications. Our extensive experience and thorough expertise serve our clients throughout the whole process.

We provide our products and complete flooring systems for renovations as well as for new developments to floor application firms worldwide. We always supply exactly to the wishes of our clients: from comfortable to practical, from natural to sleek, from colourful to earth shades and snow-white, and always of top quality.

EPI: Design your life.

Cast floors for schools, offices, retail and restaurants

The floor systems in schools, offices, shops and restaurants have a lot to endure. People walk on them constantly and chairs, desks or racks and scaffolding are moved on them day in day out. As such, the floor systems must be extremely wear-resistant, but this is not the only requirement posed for design floors in schools, offices, shops and restaurants. Safety is also important. Safety sometimes involves more than just preventing slips. In schools, offices and larger shops, the floor is in some cases also used for indicating the walk or escape route. EPI understands how important these floors are and supplies reliable floor systems which are in addition to user-friendly also low-maintenance.

SEAMLESS

Synthetic EPI cast floors have a number of properties which fit well with all mentioned environments. The floors are seamless, easy to clean, practically maintenance-free and can be installed perfectly in combination with underfloor heating or over existing floors.

ENDLESS VARIATION


If you choose a cast floor, the design possibilities are endless. You can choose from all conceivable colours and a number of different structures. This means the final floor always fits exactly with your wishes.


EASY RENOVATION


In the vast majority of cases, an EPI cast floor can be installed directly onto the existing floor. The layer thickness is minimal (on average 2 mm), so adjustments to doors are often unnecessary. Because the existing floor is used as a base, there is no need for intensive demolition work.




























Discover the power of EPI floors at our website www.epigroup.nl/en.