





EPI Forcem

Heavy-duty PU concrete floor systems for the food, chemical and pharmaceutical industry

EPI Forcem floor systems are solvent-free hybrid PU cement floors that have been specially developed to withstand high mechanical, chemical and thermal loads. Due to the long open time and excellent flow properties, EPI Forcem is easy to applicate and also extremely strong. EPI Forcem floor systems are produced according to the NEN-ISO 9001/14001

Features and benefits

- Odorless during application
- Seamless, liquid-tight, impermeable
- Fully solvent-free
- Very low emissions
- Mechanical loads possible after 24 hours
- Excellent chemical resistance
- Excellent thermal properties (-20°C to + 120°C)
- Excellent mechanical properties
- Wear resistant
- Easy to clean and maintain, also with steam
- Excellent flowing properties

Applications

- Food industry
- Breweries
- Refineries
- Chemical industry
- Paper, wood and metal industry
- Operating rooms in hospitals
- Industrial kitchens and cooking areas
 Area's with a lot of organic and inorganic acids
 ESD, ATEX and Ex. zones
 Pharmaceutical industry

EPI Forcem standard colors












The colors in the brochure are indicative. Feel free to request a sample.

EPI Forcem systems

- EPI Forcem SL: cast floor available in different thicknesses
- EPI Forcem SL SR: broadcasted cast floor with increased anti-skid properties
- EPI Forcem MT: mortar available in in different thicknesses
- EPI Forcem MT SR: broadcasted mortar with increased anti-skid properties
- EPI ESD Forcem SL: antistatic cast floor




EPI Forcem SL




	Gloss level in GU	1-2
	Scratch resistance in N DIN 55656	EPI Forcem SL: 5 EPI Forcem MT: 7-8 EPI Forcem SL SR: 7-8 EPI Forcem MT SR: 7-8
	Shore D hardness	85
	Impact in Nm DIN/ISO 6272	EPI Forcem MT: 10 EPI Forcem SL SR: 10 EPI Forcem MT SR: 10
	R-value indication dry	11-13
	R-value indication wet	11-13
	SRT value dry (F96/24 slider)	60-68
	SRT value wet (F96/24 slider)	45-71

EPI Forcem SL SR



Minimal thermal resistance



Sustainability and the environment

EPI Forcem floor systems are odorless and do not contain pine oil with xylene that can contaminate food products. All EPI Forcem floor systems have been tested by Eurofins.

•	French VOC Regulation	A+	•	Indoor Air Comfort®	Pass
•	French CMR components	Pass	•	Indoor Air Comfort GOLD®	Pass
•	Italian CAM Edilizia	Pass	•	BREEAM International	Exemplary Level
•	BG (AgBB)	Pass	•	CDPH	Pass
•	Belgian Regulation	Pass	•	M1	Pass

